

FIG. 1




FIG. 1
Perspective View




FIG. 2
Perspective View










FIG. 3




601,331,81, 122,198



SECRET PAGE 109



5013181.122199







[illegible]

Fig. 8
PERSPECTIVE OF OPENED
STOODING CASE 3/4
APPROXIMATELY
OPEN.

SIMPLO REP:RAIL-REP








SIMPLFD REP:RAIL_REP

SIMPLED REP. RAIL-REP

Fig. 12
Perspective view
of the
part put opened
the new



6013181-123185

NOTES UNLESS OTHERWISE SPECIFIED

1. ASSEMBLY SEQUENCE
- 1) ATTACH ALUMINUM SKIN TO TOP WITH ADHESIVE TAPE (NOT SHOWN)
 - 2) ATTACH ALUMINUM SKIN TO BOTTOM WITH ADHESIVE TAPE (NOT SHOWN)
 - 3) INSERT SPRING INTO HOLE IN CASE BOTTOM RING
 - 4) INSERT MOUNTING RAIL INTO CASE BOTTOM
 - 5) ATTACH CASE TOP ASSEMBLY TO CASE BOTTOM
 - 6) INSERT HINGE PIN




Fig. 13

| | | | | |
|---|---|---------|----------------|-----------------|
| 7 | 1 | SNM-007 | HINGE PIN | STAINLESS STEEL |
| 6 | 1 | SNM-008 | SPRING | STEEL |
| 5 | 1 | SNM-003 | MOUNTING RAIL | ABS |
| 4 | 1 | SNM-002 | CASE BOTTOM | ABS |
| 3 | 1 | SNM-005 | AL SKIN BOTTOM | ALUMINUM |
| 2 | 1 | SNM-001 | CASE TOP | ABS |
| 1 | 1 | SNM-004 | AL SKIN TOP | ALUMINUM |

[illegible]